



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

## "Consent To Establish" (Noc)

NO: GPCB/RJ-2264/ID-42111/ 168134

Date: 12/12/13

To,  
M/s. Seleo Ceramic Pvt.Ltd (42110),  
Plot No:298 p2, Village Rangpar,  
Rangpar-363642,  
Tal- Morbi, Dist-Rajkot

SUB: Consent to Establish (NOC) under Section 25 of Water Act, 1974 and Section 21 of Air Act 1981.

REF: Your application Inward ID No.70051 dated 10/07/2013.

Sir,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish (NOC) for setting up of an industrial plant/activities at Plot No:298 p2, Village Rangpar, Rangpar-363642, Tal- Morbi, Dist-Rajkot for the manufacturing of the following items.

Sr. No.	Product	Quantity
1	Ceramic Glaze Tiles	3200 MT/Month

### 1. SPECIFIC CONDITION:-

- 1.1 Unit shall implement all the recommendation/suggestions given by National Productivity Council.
- 1.2 Unit shall provide fix pump and pipe line on ETP.
- 1.3 Unit shall provide Water Meter at Intake of bore well, ETP Inlet, Fix Reuse/Recycled Line etc. and maintain record for the same.
- 1.4 Unit shall use only Natural gas as fuel in kiln.
- 1.5 Unit shall not install spray dryer/gasifier without prior permission of the Board.
- 1.6 Unit shall properly dispose solid waste in a secured landfill site to avoid haphazard disposal.
- 1.7 Unit shall improve Housekeeping inside the premises especially raw material handling area.
- 1.8 You shall provide instrumentation/Atomization to Spray Drier and Water Scrubber in such a way that as soon as Spray Drier gets start, Water Scrubber shall automatically starts, and if water scrubber stops, Spray Drier automatically gets stops.
- 1.9 Unit shall provide stack of adequate height and with proper monitoring facility in the kiln.
- 1.10 The treated effluent shall be reused back in process. Unit shall take all necessary measures and in no case, at any time effluent shall finds way to any water body directly or indirectly.
- 1.10 Unit shall strictly comply all direction issued CPCB/GPCB.
- 1.11 The validity of the (NOC) CTE -58685 is valid up to 09/07/2018.

### CONDITIONS UNDER WATER ACT 1974:

2. The quantity of the fresh water consumption for industrial purpose shall not exceed 20 KLPD

**Clean Gujarat Green Gujarat**

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation